

Morocco Household data codebook

identifi	identifiant unique de l'observation
----------	-------------------------------------

```

type: numeric (int)

range: [1,5210]          units: 1
unique values: 5210      missing .: 0/5210

mean: 2605.5
std. dev: 1504.14

percentiles:      10%      25%      50%      75%      90%
                  521.5    1303    2605.5    3908    4689.5

```

q1_1_reg	région
----------	--------

```

type: numeric (byte)
label: q1_1_reg

range: [4,16]          units: 1
unique values: 11      missing .: 0/5210

examples: 7   marrakech tensift al haouz
           9   grand casablanca
           10  rabat salé zemmour zaer
           14  fès boulmène

```

dom_et_2	domaines d'études 2
----------	---------------------

```

type: numeric (byte)
label: dom_et_2

range: [1,4]          units: 1
unique values: 4      missing .: 0/5210

tabulation: Freq.   Numeric   Label
              1185         1   grand casablanca
              1503         2   rabat_s_z_z   gharb_c_bh
                                tanger-tétouan
              1440         3   méknès_t   fès _ b   taza _h_t
                                oiental
              1082         4   doukala_abda marrakech_ t_h
                                sous_m_d

```

q1_2_pro	province/préfecture
----------	---------------------

```

type: numeric (int)
label: q1_2_pro

range: [1,591]          units: 1
unique values: 42      missing .: 0/5210

```

```

examples: 101  ben m'sick
          241  fes médina
          381  nador
          451  sefrou

```

```

-----
q1_3_mil                                     milieu
-----

```

```

          type: numeric (byte)
          label: q1_3_mil

          range: [1,2]                      units: 1
unique values: 2                          missing .: 0/5210

```

```

tabulation: Freq.  Numeric  Label
             4418      1  urban
             792      2  rural

```

```

-----
type_ech                                     type d'échantillon
-----

```

```

          type: numeric (byte)
          label: q1_5_tec

          range: [1,3]                      units: 1
unique values: 3                          missing .: 0/5210

```

```

tabulation: Freq.  Numeric  Label
             3774      1  random sample
             502      2  industrial zone
             934      3  cluster

```

```

-----
cl_t_ent                                     classe taille de l'entreprise
-----

```

```

          type: numeric (byte)

          range: [1,7]                      units: 1
unique values: 7                          missing .: 0/5210

```

```

tabulation: Freq.  Value
             1264    1
             1942    2
              933    3
              545    4
              247    5
              135    6
              144    7

```

```

-----
act_prin                                     main activity of entreprise
-----

```

```

          type: numeric (byte)
          label: act_prin

          range: [5,93]                     units: 1
unique values: 44                          missing .: 0/5210

```

```

examples: 36 fabrication de meubles; activités de fabrication
> (n_clas_ail
          52 commerce de détail; sauf de véhicules automobile
> s et de moto
          52 commerce de détail; sauf de véhicules automobile
> s et de moto
          55 hôtels et restaurants

```

```

-----
t_domic                                         works at home
-----

```

```

          type: numeric (byte)
          label: yesno

          range: [1,2]                                units: 1
unique values: 2                                missing .: 0/5210

          tabulation: Freq.   Numeric   Label
                      485         1   yes
                      4725        2   no

```

```

-----
weight                                         weight
-----

```

```

          type: numeric (float)

          range: [6.071,600]                            units: .001
unique values: 31                                missing .: 0/5210

          mean: 146.362
          std. dev: 104.702

          percentiles:      10%      25%      50%      75%      90%
                          28.765    96.645    117.848    135.045    270.872

```

```

-----
q1_4_upr                                         n° de l'unité primaire
-----

```

```

          type: numeric (long)

          range: [60,81615]                            units: 1
unique values: 268                                missing .: 0/5210

          mean: 21990.2
          std. dev: 34379.1

          percentiles:      10%      25%      50%      75%      90%
                          262      466      1005      70910      81010

```

```

-----
q1_5_tec                                         type of sample
-----

```

```

          type: numeric (byte)
          label: q1_5_tec

          range: [1,3]                                units: 1

```

```

unique values: 3                                missing .: 0/5210

    tabulation:  Freq.    Numeric  Label
                  3774         1  random sample
                  502         2  industrial zone
                  934         3  cluster
-----
q2_ordre                                             n° d'ordre de l'unité
-----

    type:  numeric (int)

    range:  [1,5243]
unique values: 5207                                units: 1
                                                    missing .: 0/5210

    mean:  2620.98
    std. dev: 1514.5

    percentiles:      10%      25%      50%      75%      90%
                     528.5    1310    2613.5    3940    4722.5
-----
q3_house                                             household identification
-----

    type:  numeric (int)

    range:  [1,7332]
unique values: 5202                                units: 1
                                                    missing .: 0/5210

    mean:  2621.49
    std. dev: 1515.77

    percentiles:      10%      25%      50%      75%      90%
                     528.5    1310    2613.5    3941    4723.5
-----
duree                                             durée de l'enquête en minutes
-----

    type:  numeric (int)

    range:  [20,220]
unique values: 129                                units: 1
                                                    missing .: 42/5210

    mean:  109.018
    std. dev: 29.0888

    percentiles:      10%      25%      50%      75%      90%
                     70       90      110      125      150
-----
q4_1_ser                                             serial number in household roster
-----

    type:  numeric (byte)

    range:  [0,8]
unique values: 9                                units: 1
                                                    missing .: 5062/5210

```

tabulation:	Freq.	Value
	33	0
	56	1
	39	2
	5	3
	7	4
	5	5
	1	6
	1	7
	1	8
	5062	.

q5_2_rel	relationship to household head
----------	--------------------------------

type:	numeric (byte)
label:	q5_2_rel
range:	[0,8]
unique values:	8
units:	1
missing .:	5153/5210

tabulation:	Freq.	Numeric	Label
	8	0	head of the household
	3	1	husband/wife
	16	2	son/daughter
	2	3	son daughter in law
	19	5	brother/sister
	1	6	brother/sister in law
	5	7	father/mother
	3	8	other relatives
	5153	.	

q6_1_act	main activity
----------	---------------

type:	numeric (byte)
label:	q6_1_act
range:	[1,93]
unique values:	33
units:	1
missing .:	4433/5210

examples:	.
	.
	.
	.

q7_1_sta	when started (year)
----------	---------------------

type:	numeric (int)
range:	[1940,2002]
unique values:	48
units:	1
missing .:	4418/5210
mean:	1990.76
std. dev:	8.74266
percentiles:	10% 25% 50% 75% 90%

	1980	1987	1992	1997	1999
<hr/>					
q10_1_nu	number of workers when closed down				
<hr/>					
type:	numeric (int)				
range:	[1,140]		units: 1		
unique values:	25		missing .: 4424/5210		
mean:	3.45165				
std. dev:	9.0398				
percentiles:	10%	25%	50%	75%	90%
	1	1	2	3	5
<hr/>					
q5_1_rel	relationship to household head				
<hr/>					
type:	numeric (byte)				
label:	q5_1_rel				
range:	[0,9]		units: 1		
unique values:	10		missing .: 4453/5210		
examples:	.				
	.				
	.				
	.				
<hr/>					
q4_2_ser	serial number in household roster				
<hr/>					
type:	numeric (byte)				
range:	[0,2]		units: 1		
unique values:	3		missing .: 5200/5210		
tabulation:	Freq.	Value			
	2	0			
	2	1			
	6	2			
	5200	.			
<hr/>					
q6_2_act	main activity				
<hr/>					
type:	numeric (byte)				
label:	q6_2_act				
range:	[1,93]		units: 1		
unique values:	15		missing .: 5152/5210		
examples:	.				
	.				
	.				
	.				

q7_2_sta when started (year)

```

type: numeric (int)

range: [1954,2002]          units: 1
unique values: 25          missing .: 5151/5210

mean: 1991.07
std. dev: 8.9748

percentiles:    10%    25%    50%    75%    90%
                1980    1987    1993    1998    2000

```

q8_1_clo when closed down (year)

```

type: numeric (int)

range: [1968,2002]          units: 1
unique values: 31          missing .: 4418/5210

mean: 1995.96
std. dev: 5.45997

percentiles:    10%    25%    50%    75%    90%
                1990    1994    1998    2000    2001

```

q8_2_clo when closed down (year)

```

type: numeric (int)

range: [1980,2002]          units: 1
unique values: 16          missing .: 5150/5210

mean: 1996.53
std. dev: 4.60091

percentiles:    10%    25%    50%    75%    90%
                1990    1995    1997.5    2000    2001

```

q9_1_rea reason for closing down

```

type: numeric (byte)
label: q9_1_rea

range: [1,4]          units: 1
unique values: 4          missing .: 4437/5210

tabulation: Freq.    Numeric    Label
              83         1    finance
              70         2    management
              274        3    market
              346        4    other

```

4437 .

q9_2_rea reason for closing down

type: numeric (byte)
label: q9_2_rea

range: [1,4] units: 1
unique values: 4 missing .: 5153/5210

tabulation: Freq. Numeric Label
 10 1 finance
 1 2 management
 15 3 market
 31 4 other
 5153 .

q10_2_nu number of workers when closed down

type: numeric (byte)

range: [1,30] units: 1
unique values: 8 missing .: 5152/5210

tabulation: Freq. Value
 22 1
 19 2
 7 3
 6 4
 1 6
 1 14
 1 16
 1 30
 5152 .

q4_3_ser serial number in household roster

type: numeric (byte)

range: [3,3] units: 1
unique values: 1 missing .: 5209/5210

tabulation: Freq. Value
 1 3
 5209 .

q5_3_rel relationship to household head

type: numeric (byte)
label: q5_3_rel

range: [0,9] units: 1
unique values: 4 missing .: 5200/5210

tabulation:	Freq.	Numeric	Label
	1	0	head of the household
	3	2	son/daughter
	5	5	brother/sister
	1	9	visiter/servant
	5200	.	

q6_3_act main activity

type: numeric (byte)
 label: q6_3_act
 range: [18,52] units: 1
 unique values: 4 missing .: 5200/5210

tabulation:	Freq.	Numeric	Label
	1	18	fabrication d'articles d'habillement; préparation et teintur
	2	36	fabrication de meubles; activités de fabrication (n_clas_ail
	1	50	commerce, entretien et réparation de véhicules automobiles e
	6	52	commerce de détail; sauf de véhicules automobiles et de moto
	5200	.	

q7_3_sta when started (year)

type: numeric (int)
 range: [1956,2002] units: 1
 unique values: 8 missing .: 5200/5210

tabulation:	Freq.	Value
	1	1956
	1	1979
	1	1991
	1	1994
	1	1995
	2	2000
	2	2001
	1	2002
	5200	.

q8_3_clo when closed down (year)

type: numeric (int)
 range: [1990,2002] units: 1
 unique values: 7 missing .: 5200/5210

```

tabulation:  Freq.  Value
              1  1990
              1  1992
              1  1996
              1  1999
              2  2000
              3  2001
              1  2002
            5200  .

```

```

-----
q9_3_rea                                     reason for closing down
-----

```

```

      type:  numeric (byte)
      label:  q9_3_rea

      range:  [1,4]                      units:  1
unique values: 4                      missing .:  5202/5210

      tabulation:  Freq.   Numeric  Label
                   2         1  finance
                   1         2  management
                   4         3  market
                   1         4  other
            5202         .

```

```

-----
q10_3_nu                                     number of workers when closed down
-----

```

```

      type:  numeric (byte)

      range:  [1,16]                     units:  1
unique values: 5                      missing .:  5201/5210

      tabulation:  Freq.  Value
                   4      1
                   1      2
                   2      3
                   1      9
                   1     16
            5201      .

```

```

-----
q4_4_ser                                     serial number in household roster
-----

```

```

      type:  numeric (byte)

      range:  [.,.]                      units:  .
unique values: 0                      missing .:  5210/5210

      tabulation:  Freq.  Value
                   5210  .

```

```

-----
q5_4_rel                                     relationship to household head
-----

```

```

        type: numeric (byte)
        label: q5_4_rel

        range: [5,8]
        unique values: 2
                                units: 1
                                missing .: 5208/5210

        tabulation: Freq.    Numeric    Label
                     1         5    brother/sister
                     1         8    other relatives
                     5208         .

-----
q6_4_act
main activity
-----

        type: numeric (byte)
        label: q6_4_act

        range: [52,52]
        unique values: 1
                                units: 1
                                missing .: 5209/5210

        tabulation: Freq.    Numeric    Label
                     1         52    commerce de détail; sauf de
                     5209         .    véhicules automobiles et de moto

-----
q7_4_sta
when started (year)
-----

        type: numeric (int)

        range: [1995,1999]
        unique values: 2
                                units: 1
                                missing .: 5208/5210

        tabulation: Freq.    Value
                     1    1995
                     1    1999
                     5208    .

-----
q8_4_clo
when closed down (year)
-----

        type: numeric (int)

        range: [1995,1999]
        unique values: 2
                                units: 1
                                missing .: 5208/5210

        tabulation: Freq.    Value
                     1    1995
                     1    1999
                     5208    .

-----
q9_4_rea
reason for closing down
-----

        type: numeric (byte)
        label: q9_4_rea

```

```

        range: [1,3]
unique values: 2
        units: 1
missing .: 5208/5210

        tabulation: Freq.   Numeric   Label
                     1         1   finance
                     1         3   market
                     5208      .

-----
q10_4_nu                                number of workers when closed down
-----

        type: numeric (byte)

        range: [1,1]
unique values: 1
        units: 1
missing .: 5208/5210

        tabulation: Freq.   Value
                     2       1
                     5208    .

-----
q11_1_to                                total monthly expenditure
-----

        type: numeric (long)

        range: [300,60000]
unique values: 102
        units: 10
missing .: 21/5210

        mean: 3224.49
        std. dev: 2582.67

        percentiles:      10%      25%      50%      75%      90%
                        1500      2000      2500      3700      5000

-----
q11_2_un                                unit
-----

        type: numeric (byte)

        range: [0,2]
unique values: 3
        units: 1
missing .: 22/5210

        tabulation: Freq.   Value
                     2       0
                     5185    1
                     1       2
                     22      .

-----
q12_1_fo                                on food
-----

        type: numeric (int)

        range: [100,20001]
unique values: 97
        units: 1
missing .: 46/5210

        mean: 1956.69

```

```

        std. dev:    1255.21

percentiles:         10%         25%         50%         75%         90%
                   900        1200        1700        2500        3000
-----
q12_2_un                                                    unit
-----

        type:  numeric (byte)

        range:  [0,4]                                units:  1
unique values:  4                                missing .:  52/5210

        tabulation:  Freq.  Value
                   1    0
                   5153  1
                   2    3
                   2    4
                   52   .
-----

q13_1_el                                                    on electricity consumption (if connected)
-----

        type:  numeric (int)

        range:  [0,3000]                                units:  1
unique values:  80                                missing .:  2365/5210

        mean:    172.512
        std. dev: 167.253

percentiles:         10%         25%         50%         75%         90%
                   50         100         150         200         300
-----

q13_2_un                                                    unit
-----

        type:  numeric (byte)

        range:  [0,5]                                units:  1
unique values:  5                                missing .:  2516/5210

        tabulation:  Freq.  Value
                   2    0
                   2689  1
                   1    2
                   1    3
                   1    5
                   2516  .
-----

q13bis_e                                                    on electricity and water consumption (if connected)
-----

        type:  numeric (int)

        range:  [0,6000]                                units:  1
unique values:  132                                missing .:  300/5210

```

```

        mean:      288.64
    std. dev:      261.208

    percentiles:      10%      25%      50%      75%      90%
                      80      150      230      350      500
-----
q13bis_u                                                    unit
-----

        type:  numeric (byte)

        range:  [0,4]
unique values:  3                                units:  1
                                         missing .:  475/5210

        tabulation:  Freq.  Value
                      4      0
                      4730  1
                      1      4
                      475   .
-----

q14_debt                                                    household in debt
-----

        type:  numeric (byte)
        label:  q14_debt

        range:  [0,1]
unique values:  2                                units:  1
                                         missing .:  21/5210

        tabulation:  Freq.   Numeric  Label
                      4089        0  none
                      1100        1  yes
                      21         .
-----

q15_amou                                                    amount
-----

        type:  numeric (long)

        range:  [30,10000000]
unique values:  140                                units:  1
                                         missing .:  4123/5210

        mean:      53749.2
    std. dev:      367706

    percentiles:      10%      25%      50%      75%      90%
                      600      2100      9000      30000      100000
-----

q15_unit                                                    unit
-----

        type:  numeric (byte)

        range:  [1,1]
unique values:  1                                units:  1
                                         missing .:  4124/5210

```

```

tabulation:  Freq.  Value
              1086  1
              4124  .

```

```

-----
q16_sour                                           source
-----

```

```

      type:  numeric (byte)
      label:  q16_sour

      range:  [1,9]
unique values: 9
                        units:  1
                        missing .: 4134/5210

```

```

tabulation:  Freq.  Numeric  Label
              56      1  own family
              187      2  other relatives
              154      3  friends
               34      4  neighbours
               9       5  birth place friends
              35      6  business colleagues
             259      7  bank
              13      8  credit card compagny
             329      9  other
             4134      .

```

```

-----
q17_rela                                           entreprise related
-----

```

```

      type:  numeric (byte)
      label:  q17_rela

      range:  [0,1]
unique values: 2
                        units:  1
                        missing .: 4128/5210

```

```

tabulation:  Freq.  Numeric  Label
              653      0  none
              429      1  yes
             4128      .

```

```

-----
q18_per                                           wages and salaries (period)
-----

```

```

      type:  numeric (byte)

      range:  [0,12]
unique values: 4
                        units:  1
                        missing .: 3657/5210

```

```

tabulation:  Freq.  Value
              10     0
             1470     1
               5      3
               68     12
             3657     .

```

```

-----
q18_amou                                           wages and salaries (amount)
-----

```

```

                type:  numeric (long)

                range:  [0,137100]                units:  1
unique values:  149                missing .:  3651/5210

                mean:    4539.6
                std. dev: 6518.13

                percentiles:      10%      25%      50%      75%      90%
                                1000     1600     2800     5000     10000
-----
q18_ammo                wages and salaries ( amount per mount)
-----

                type:  numeric (long)

                range:  [0,70000]                units:  1
unique values:  176                missing .:  996/5210

                mean:    2836.74
                std. dev: 3677.18

                percentiles:      10%      25%      50%      75%      90%
                                0       1000     2000     3500     6000
-----
q18_unit                unit
-----

                type:  numeric (byte)
                label:  q18_unit, but 1 nonmissing value is not labeled

                range:  [0,1]                units:  1
unique values:  2                missing .:  1575/5210

                tabulation:  Freq.    Numeric  Label
                           4          0
                           3631       1  dirham
                           1575       .
-----
q19_per                agriculture-cash (period)
-----

                type:  numeric (byte)

                range:  [0,12]                units:  1
unique values:  6                missing .:  4965/5210

                tabulation:  Freq.  Value
                           4       0
                           74      1
                           7       3
                           7       6
                           1      10
                           152     12
                           4965    .
-----

```


q19_amou agriculture-cash (amount)

```

-----
                type:  numeric (float)

                range:  [0,80000]                units:  .1
unique values:  62                                missing .:  4916/5210

                mean:   6529.24
                std. dev: 9278.95

percentiles:      10%      25%      50%      75%      90%
                  0        600     3000     10000     16800
-----

```

q19_ammo agriculture-cash (amount per mount)

```

-----
                type:  numeric (float)

                range:  [0,12000]                units:  .01
unique values:  88                                missing .:  3005/5210

                mean:   213.234
                std. dev: 763.595

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        800
-----

```

q19_unit unit

```

-----
                type:  numeric (byte)
                label:  q19_unit, but 1 nonmissing value is not labeled

                range:  [0,1]                units:  1
unique values:  2                                missing .:  4822/5210

tabulation:  Freq.    Numeric  Label
              1         0
              387         1  dirham
              4822         .
-----

```

q20_per agriculture-in kind (period)

```

-----
                type:  numeric (byte)

                range:  [0,12]                units:  1
unique values:  8                                missing .:  4970/5210

tabulation:  Freq.  Value
              3      0
             63      1
              1      2
              3      3
              1      4
              1      5
              1     10
-----

```

167 12
4970 .

q20_amou agriculture-in kind (amount)

type: numeric (long)

range: [0,105400] units: 1
unique values: 72 missing .: 4904/5210

mean: 3791.34
std. dev: 8046.68

percentiles:	10%	25%	50%	75%	90%
	0	167	1837.5	4200	8400

q20_ammo agriculture-in kind (amount per mount)

type: numeric (float)

range: [0,12500] units: .01
unique values: 115 missing .: 3011/5210

mean: 140.387
std. dev: 594.252

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	333

q20_unit unit

type: numeric (byte)
label: q20_unit, but 1 nonmissing value is not labeled

range: [0,3] units: 1
unique values: 3 missing .: 4833/5210

tabulation:	Freq.	Numeric	Label
	3	0	
	373	1	dirham
	1	3	other
	4833	.	

q21_per business revenues from mses (period)

type: numeric (byte)

range: [0,15] units: 1
unique values: 5 missing .: 3509/5210

tabulation:	Freq.	Value
	1	0
	1553	1

```

      1  3
    145 12
      1 15
    3509 .

```

```

-----
q21_amou                                business revenues from mses (amount)
-----

```

```

      type:  numeric (double)

      range:  [0,2500000]          units:  .1
unique values: 226                missing .: 3498/5210

      mean:   10415.3
      std. dev: 71161.9

percentiles:      10%      25%      50%      75%      90%
                  1000     1500     3000     6000     17000

```

```

-----
q21_ammo                                business revenues from mses ( amount per mount)
-----

```

```

      type:  numeric (double)

      range:  [0,2500000]          units:  .1
unique values: 303                missing .: 770/5210

      mean:   4398.73
      std. dev: 39244.4

percentiles:      10%      25%      50%      75%      90%
                  400      1000     2000     3700     7000

```

```

-----
q21_unit                                unit
-----

```

```

      type:  numeric (byte)
      label:  q21_unit, but 1 nonmissing value is not labeled

      range:  [0,1]                units:  1
unique values: 2                missing .: 1133/5210

      tabulation:  Freq.   Numeric   Label
                   2         0
                   4075      1   dirham
                   1133      .

```

```

-----
q22_per                                other business revenues (period)
-----

```

```

      type:  numeric (byte)

      range:  [0,12]                units:  1
unique values: 4                missing .: 5099/5210

      tabulation:  Freq.   Value
                   5         0

```

```

101 1
1 2
4 12
5099 .

```

```

-----
q22_amou                                other business revenues (amount)
-----

```

```

type: numeric (long)

range: [0,50000]          units: 1
unique values: 25          missing .: 5051/5210

mean: 1257.16
std. dev: 4119.19

percentiles:      10%      25%      50%      75%      90%
                  0        0        500      1250      2000

```

```

-----
q22_ammo                                other business revenues ( amount per mount)
-----

```

```

type: numeric (float)

range: [0,15000]          units: .01
unique values: 33          missing .: 3127/5210

mean: 208.542
std. dev: 766.611

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        700

```

```

-----
q22_unit                                unit
-----

```

```

type: numeric (byte)
label: q22_unit

range: [1,1]          units: 1
unique values: 1          missing .: 4912/5210

tabulation: Freq.  Numeric  Label
             298        1  dirham
             4912        .

```

```

-----
q23_per                                returns to financial assests (period)
-----

```

```

type: numeric (byte)

range: [0,60]          units: 1
unique values: 6          missing .: 5179/5210

tabulation: Freq.  Value
             2      0
             23     1

```

```

1 3
1 6
3 12
1 60
5179 .

```

```

q23_amou                                returns to financial assests (amount)

```

```

      type:  numeric (int)

      range:  [0,12000]                units:  10
unique values: 18                      missing .: 5113/5210

      mean:   934.536
      std. dev: 2163.08

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        600      5000

```

```

q23_ammo                                returns to financial assests ( amount per mount)

```

```

      type:  numeric (int)

      range:  [0,8000]                units:  1
unique values: 22                      missing .: 3291/5210

      mean:   44.9755
      std. dev: 390.315

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        0

```

```

q23_unit                                unit

```

```

      type:  numeric (byte)
      label:  q23_unit

      range:  [1,1]                units:  1
unique values: 1                      missing .: 5156/5210

      tabulation:  Freq.   Numeric  Label
                   54         1   dirham
                   5156        .

```

```

q24_per                                returns on other capital assets (real estate) (period)

```

```

      type:  numeric (byte)

      range:  [0,24]                units:  1
unique values: 7                      missing .: 4881/5210

      tabulation:  Freq.  Value
                   2      0

```

```

      284  1
      2   3
      2   5
      2   6
     36  12
      1  24
    4881  .

```

```

q24_amou          returns on other capital assets (real estate) (amount)

```

```

      type:  numeric (long)

      range:  [0,33600]          units:  1
unique values: 59                missing .: 4835/5210

      mean:    2894
    std. dev: 4238.08

percentiles:      10%      25%      50%      75%      90%
                  0        800     1500     3000     8000

```

```

q24_ammo          returns on other capital assets (real est.) (amount per mon)

```

```

      type:  numeric (float)

      range:  [0,20000]          units:  .01
unique values: 69                missing .: 2919/5210

      mean:    575.378
    std. dev: 1557.22

percentiles:      10%      25%      50%      75%      90%
                  0         0         0       700     1500

```

```

q24_unit                                                  unit

```

```

      type:  numeric (byte)
      label:  q24_unit, but 1 nonmissing value is not labeled

      range:  [0,1]          units:  1
unique values: 2                missing .: 4527/5210

      tabulation:  Freq.    Numeric  Label
                   3         0
                   680        1  dirham
                   4527        .

```

```

q25_per          remittances (period)

```

```

      type:  numeric (byte)

      range:  [0,12]          units:  1
unique values: 7                missing .: 4982/5210

```

```

tabulation:  Freq.  Value
              3      0
             118      1
              1      2
             39      3
              3      4
              8      6
             56     12
            4982      .

```

```

-----
q25_amou                                           remittances (amount)
-----

```

```

              type:  numeric (long)

              range:  [0,40000]
unique values:  47
              units:  1
              missing.: 4930/5210

              mean:   4221.64
              std. dev: 6345.27

percentiles:      10%      25%      50%      75%      90%
                  0      658.5    1800    5000    12000

```

```

-----
q25_ammo                                           remittances (amount per month)
-----

```

```

              type:  numeric (float)

              range:  [0,30000]
unique values:  59
              units:  .01
              missing.: 3000/5210

              mean:   460.664
              std. dev: 1431.01

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0      1500

```

```

-----
q25_unit                                           unit
-----

```

```

              type:  numeric (byte)
              label:  q25_unit, but 1 nonmissing value is not labeled

              range:  [0,1]
unique values:  2
              units:  1
              missing.: 4667/5210

tabulation:  Freq.  Numeric  Label
              1      0
             542      1  dirham
            4667      .

```

```

-----
q26_per                                           other public transfers (period)
-----

```

```

              type:  numeric (byte)

```

```

        range: [0,12]
unique values: 4
        units: 1
missing .: 5088/5210

    tabulation: Freq.  Value
                3      0
                91      1
                20      3
                 8     12
               5088     .

-----
q26_amou                                other public transfers (amount)
-----

        type: numeric (int)

        range: [0,20000]
unique values: 39
        units: 1
missing .: 5034/5210

        mean: 1470.26
        std. dev: 2251.95

percentiles:      10%      25%      50%      75%      90%
                  0        0      1000      1800      3300

-----
q26_ammo                                other public transfers (amount per month)
-----

        type: numeric (float)

        range: [0,39333]
unique values: 60
        units: .01
missing .: 3155/5210

        mean: 245.581
        std. dev: 1092.89

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0      1000

-----
q26_unit                                unit
-----

        type: numeric (byte)
        label: q26_unit, but 1 nonmissing value is not labeled

        range: [0,1]
unique values: 2
        units: 1
missing .: 4898/5210

    tabulation: Freq.  Numeric  Label
                3          0
               309          1  dirham
               4898          .

-----
q27_per                                other private transfers (period)
-----

        type: numeric (byte)

```



```

range: [0,12]
unique values: 4
units: 1
missing .: 5132/5210

```

```

tabulation: Freq. Value
              2    0
             61    1
              9    3
              6   12
            5132    .

```

```

q27_amou                                other private transfers (amount)

```

```

type: numeric (int)

range: [0,30000]
unique values: 29
units: 10
missing .: 5070/5210

mean: 1336.43
std. dev: 3207.25

percentiles:      10%      25%      50%      75%      90%
                  0        0        500      1500      3000

```

```

q27_ammo                                other private transfers (amount per month)

```

```

type: numeric (int)

range: [0,30000]
unique values: 37
units: 1
missing .: 3248/5210

mean: 122.207
std. dev: 823.344

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        0

```

```

q27_unit                                unit

```

```

type: numeric (byte)
label: q27_unit, but 1 nonmissing value is not labeled

range: [0,1]
unique values: 2
units: 1
missing .: 5044/5210

tabulation: Freq.   Numeric   Label
              5         0
            161         1   dirham
            5044        .

```

```

q28_per                                other (period)

```

```

type: numeric (byte)

```

```

range: [0,12] units: 1
unique values: 4 missing .: 5154/5210

tabulation: Freq. Value
              2  0
              25  1
              1  5
              28 12
            5154 .

```

```

q28_amou other (amount)

```

```

type: numeric (long)

range: [0,70000] units: 100
unique values: 28 missing .: 5093/5210

mean: 3005.98
std. dev: 7857.04

percentiles: 10% 25% 50% 75% 90%
              0  0  0  3000 8400

```

```

q28_ammo other (amount per month)

```

```

type: numeric (long)

range: [0,70000] units: 1
unique values: 29 missing .: 3301/5210

mean: 99.7596
std. dev: 1649.72

percentiles: 10% 25% 50% 75% 90%
              0  0  0  0  0

```

```

q28_unit unit

```

```

type: numeric (byte)
label: q28_unit, but 1 nonmissing value is not labeled

range: [0,1] units: 1
unique values: 2 missing .: 5108/5210

tabulation: Freq. Numeric Label
              4  0
              98  1 dirham
            5108 .

```

```

q29_per total (period)

```

```

type: numeric (byte)

```

```

range: [1,12]
unique values: 4
units: 1
missing .: 4209/5210

```

```

tabulation: Freq. Value
             991  1
              3   2
              3   3
              4  12
            4209  .

```

```

-----
q29_amou                                     total (amount)
-----

```

```

type: numeric (double)

range: [400,2543000]
unique values: 301
units: .01
missing .: 4206/5210

mean: 12314.5
std. dev: 82576.2

percentiles:      10%      25%      50%      75%      90%
                  2000    3000    5000    8400    19300

```

```

-----
q29_ammo                                     total (amount per month)
-----

```

```

type: numeric (double)

range: [0,2543000]
unique values: 704
units: .1
missing .: 14/5210

mean: 7058.04
std. dev: 37502.1

percentiles:      10%      25%      50%      75%      90%
                  1950    2700    4158    6600    11000

```

```

-----
q29_unit                                     unit
-----

```

```

type: numeric (byte)
label: q29_unit, but 2 nonmissing values are not labeled

range: [0,4]
unique values: 5
units: 1
missing .: 17/5210

tabulation: Freq.   Numeric   Label
             5         0
            5183         1   dirham
              3         2   dollar us
              1         3   other
              1         4
             17         .

```

```

-----
q30_tele                                     telephone
-----

```

```

-----
                type: numeric (byte)
                label: yesno, but 1 nonmissing value is not labeled

                range: [0,2]                                units: 1
unique values: 3                                           missing .: 18/5210

                tabulation: Freq.   Numeric   Label
                           3524         0
                           1628         1   yes
                           40          2   no
                           18          .

-----
q31_vehi                                           private motor vehicle
-----

                type: numeric (byte)
                label: yesno, but 1 nonmissing value is not labeled

                range: [0,2]                                units: 1
unique values: 3                                           missing .: 15/5210

                tabulation: Freq.   Numeric   Label
                           2797         0
                           2163         1   yes
                           235          2   no
                           15          .

-----
q32_air                                           air conditioner
-----

                type: numeric (byte)
                label: yesno, but 1 nonmissing value is not labeled

                range: [0,2]                                units: 1
unique values: 3                                           missing .: 15/5210

                tabulation: Freq.   Numeric   Label
                           4731         0
                           447          1   yes
                           17           2   no
                           15          .

-----
q33_refr                                           refrigerator
-----

                type: numeric (byte)
                label: yesno, but 1 nonmissing value is not labeled

                range: [0,2]                                units: 1
unique values: 3                                           missing .: 15/5210

                tabulation: Freq.   Numeric   Label
                           678          0
                           4374         1   yes
                           143          2   no
                           15          .

```

q34_wash washing machine

type: numeric (byte)
label: yesno, but 1 nonmissing value is not labeled

range: [0,2] units: 1
unique values: 3 missing .: 15/5210

tabulation: Freq. Numeric Label
3312 0
1861 1 yes
22 2 no
15 .

q35_sewi sewing machine

type: numeric (byte)
label: yesno, but 1 nonmissing value is not labeled

range: [0,2] units: 1
unique values: 3 missing .: 15/5210

tabulation: Freq. Numeric Label
4112 0
1051 1 yes
32 2 no
15 .

q36_dish dishwasher

type: numeric (byte)
label: yesno, but 1 nonmissing value is not labeled

range: [0,2] units: 1
unique values: 3 missing .: 15/5210

tabulation: Freq. Numeric Label
5138 0
53 1 yes
4 2 no
15 .

q37_comp computer

type: numeric (byte)
label: yesno, but 1 nonmissing value is not labeled

range: [0,2] units: 1
unique values: 3 missing .: 15/5210

tabulation: Freq. Numeric Label

4686	0
465	1 yes
44	2 no
15	.

q38_cell cellular phone

type: numeric (byte)
 label: q38_cell
 range: [0,2] units: 1
 unique values: 3 missing .: 21/5210

tabulation:	Freq.	Numeric	Label
	1241	0	no
	2211	1	yes
	1737	2	more than 1
	21	.	

q39_room number of rooms

type: numeric (byte)
 range: [0,26] units: 1
 unique values: 16 missing .: 21/5210

mean: 3.64348
 std. dev: 1.60572

percentiles:	10%	25%	50%	75%	90%
	2	3	3	4	6

q40_hous ownership of housing unit

type: numeric (byte)
 label: q40_hous
 range: [1,4] units: 1
 unique values: 4 missing .: 22/5210

tabulation:	Freq.	Numeric	Label
	3568	1	owned
	1202	2	rented
	114	3	squatter
	304	4	other
	22	.	

q2_house household identification

type: numeric (int)
 range: [1,7483] units: 1

```
unique values:  5166                               missing .:  10/5210

      mean:    2616.67
    std. dev:  1513.68

percentiles:      10%      25%      50%      75%      90%
                527.5    1307.5    2608.5    3932.5    4713.5
```
